

### **AMENDMENTS TO THE CLAIMS**

Claims 1-31 are pending in the instant application. Claims 1, 5-7, 9, 11, 15-17, 19, 21, 25-27, and 29 have been amended. Claims 1, 11, and 21 are independent. Claims 2-10, 12-20, and 22-31 depend from independent claims 1, 11, and 21, respectively.

The Applicant requests reconsideration of the claims in view of the following amendments reflected in the listing of claims.

Listing of claims:

1. (Currently Amended) A method for secure access and communication of information in a distributed media network, the method comprising:

detecting, at a first geographic location, when a legacy media peripheral is connected to ~~at least one~~one or both of a PC and a media processing system at said first geographic location within [[on ]]the distributed media network;

establishing at least one identifier associated with said legacy media peripheral, wherein said established at least one identifier is used to validate said legacy media peripheral for use at said first geographic location; and

utilizing said established at least one identifier to facilitate communication of said legacy media peripheral over the distributed media network.

2. (Previously Presented) The method according to claim 1, comprising requesting said at least one legacy media peripheral identifier and at least one identifier of a user utilizing said legacy media peripheral.

3. (Original) The method according to claim 2, wherein said at least one legacy media peripheral identifier is a serial number of said legacy media peripheral.

4. (Original) The method according to claim 2, wherein said at least one user identifier is at least one of a user password and a user name.

5. (Currently Amended) The method according to claim 2, comprising determining [[a]]said first geographic location of said legacy media peripheral and said user utilizing said legacy media peripheral.

6. (Currently Amended) The method according to claim 5, comprising associating said legacy media peripheral identifier and said user identifier with said first geographic location of said legacy media peripheral.

7. (Currently Amended) The method according to claim 2, wherein if said legacy media peripheral is previously registered at [[a]]said first geographic location within said

network, acquiring said at least one user identifier to facilitate communication of said legacy media peripheral over the distributed media network.

8. (Previously Presented) The method according to claim 7, comprising validating said acquired at least one user identifier for said legacy media peripheral prior to said facilitation of communication of said legacy media peripheral over the distributed media network.

9. (Currently Amended) The method according to claim 8, comprising registering said legacy media peripheral for operation at a second geographic location subsequent to said validation of said acquired at least one user identifier.

10. (Previously Presented) The method according to claim 1, comprising executing a media peripheral association software on said at least one of said PC and said media processing system.

11. (Currently Amended) A machine-readable storage having stored thereon, a computer program having at least one code section for secure access and communication of information in a distributed media network, the at least one code section being executable by a machine for causing the machine to perform steps comprising:

detecting, at a first geographic location, when a legacy media peripheral is connected to ~~at least one~~one or both of a PC and a media processing system at said first geographic location within [[on ]]the distributed media network;

establishing at least one identifier associated with said legacy media peripheral, wherein said established at least one identifier is used to validate said legacy media peripheral for use at said first geographic location; and

utilizing said established at least one identifier to facilitate communication ~~between~~ of said legacy media peripheral over the distributed media network.

12. (Previously Presented) The machine-readable storage according to claim 11, comprising code for requesting said at least one legacy media peripheral identifier and at least one identifier of a user utilizing said legacy media peripheral.

13. (Original) The machine-readable storage according to claim 12, wherein said at least one legacy media peripheral identifier is a serial number of said legacy media peripheral.

14. (Original) The machine-readable storage according to claim 12, wherein said at least one user identifier is at least one of a user password and a user name.

15. (Currently Amended) The machine-readable storage according to claim 12, comprising code for determining [[a]]said first geographic location of said legacy media peripheral and said user utilizing said legacy media peripheral.

16. (Currently Amended) The machine-readable storage according to claim 15, comprising code for associating said legacy media peripheral identifier and said user identifier with said first geographic location of said legacy media peripheral.

17. (Currently Amended) The machine-readable storage according to claim 12, comprising code for acquiring said at least one user identifier to facilitate communication of said legacy media peripheral over the distributed media network, if said legacy media peripheral is previously registered at [[a]]said first geographic location within said network.

18. (Previously Presented) The machine-readable storage according to claim 17, comprising code for validating said acquired at least one user identifier for said legacy media peripheral prior to said facilitation of communication of said legacy media peripheral over the distributed media network.

19. (Currently Amended) The machine-readable storage according to claim 18, comprising code for registering said legacy media peripheral for operation at a second

geographic location subsequent to said validation of said acquired at least one user identifier.

20. (Previously Presented) The machine-readable storage according to claim 11, comprising code for executing a media peripheral association software on said at least one of said PC and said media processing system.

21. (Currently Amended) A system for secure access and communication of information in a distributed media network, the system comprising:

at least one processor that detects, at a first geographic location, when a legacy media peripheral is connected to ~~at least one~~ one or both of a PC and a media processing system at said first geographic location within [[on ]]the distributed media network;

said at least one processor establishes at least one identifier associated with said legacy media peripheral, wherein said established at least one identifier is used to validate said legacy media peripheral for use at said first geographic location; and

said at least one processor utilizes said established at least one identifier to facilitate communication of said legacy media peripheral over the distributed media network.

22. (Original) The system according to claim 21, wherein said at least one processor requests said at least one legacy media peripheral identifier and at least one identifier of a user utilizing said legacy media peripheral.

23. (Original) The system according to claim 22, wherein said at least one legacy media peripheral identifier is a serial number of said legacy media peripheral.

24. (Original) The system according to claim 22, wherein said at least one user identifier is at least one of a user password and a user name.

25. (Currently Amended) The system according to claim 22, wherein said at least one processor determines ~~[[a]]said~~ first geographic location of said legacy media peripheral and said user utilizing said legacy media peripheral.

26. (Currently Amended) The system according to claim 25, wherein said at least one processor associates said legacy media peripheral identifier and said user identifier with said first geographic location of said legacy media peripheral.

27. (Currently Amended) The system according to claim 22, wherein said at least one processor acquires said at least one user identifier to facilitate communication of said legacy media peripheral over the distributed media network, if said legacy media

peripheral is previously registered at [[a]]said first geographic location within said network.

28. (Original) The system according to claim 27, wherein said at least one processor validates said acquired at least one user identifier for said legacy media peripheral prior to said facilitation of communication of said legacy media peripheral over the distributed media network.

29. (Currently Amended) The system according to claim 28, wherein said at least one processor registers said legacy media peripheral for operation at a second geographic location subsequent to said validation of said acquired at least one user identifier.

30. (Original) The system according to claim 21, wherein said at least one processor executes a media peripheral association software on said at least one of said PC and said media processing system.

31. (Original) The system according to claim 21, wherein said at least one processor is at least one of a computer processor, a media peripheral processor, a media exchange system processor and a media processing system processor.